

## UNIPRO**5000**

High speed 5-axis machining centre



## **Economical** and versatile manufacturing

The UNIPRO 5000 is the result of years of experience and development in the aerospace industry. It is ideal for 5-axis simultaneous operations on complex elongated aluminium aeronautical structural components. Fast machining combines with safe and easy operation.


#### 10.000 cm<sup>3</sup> per minute materials removal rate

The unique and revolutionary 100 kW and 25.000 rpm UNISIGN spindle is, after many years in service, still the distinctive feature of the UNIPRO 5000. It can remove aluminium at up to 10.000 cm<sup>3</sup> per minute, and the workhorse machine is widely respected in the market.

The spindle for vertical machining has a +/-15 degree tilting axis. The unique design of this B-axis allows using the full power of the spindle. The A-axis rotates with the customer specific clamping system. The clamping unit can be a 4-sided cube or a single large table, and the fixture naturally allows vacuum clamping. The standard machine is available in various lengths and so is ideally suited for 5-axis machining of complex elongated aluminium components where high dynamics and precision are key.


#### Fully enclosed for safe operation

The UNIPRO 5000 can be customised. It is completely enclosed for full protection, and there is optional fume extraction. The machine has direct linear scales in all axis as standard. The standard version also has a large tool storage of 57 tool pockets with another optional 100 tool pockets. The spindle has an HSK63A tool taper. If required, a torque bracket for smaller heads can make the machine even more versatile. Modern slideways with roller packs offer the highest accuracies for powerful machining. Visibility is perfect for all operations. There is comfortable access for the operator inside the machine area, which greatly improves ergonomics while loading and unloading components using an overhead crane.









### Turn-key package customised to requirements

UNISIGN can supply a turn-key package with a proven technology. It can develop customer specific part programs, select the ideal strategic sequence of machining and the best corresponding tooling package, offer the easiest and fastest clamping possibilities, and include pre- and final-acceptance based on unique customer parts.

The UNIPRO 5000 is a versatile production asset, with fastest cycle times and quick return on investment.


UNISIGN... your partner in productivity!



### **Highlights**

- High speed 5-axis
- 100 kW spindle; 10.000 cm³ per minute aluminium removal
- Very stable B-axis configuration
- Large variation in clamping cubes

Clamping cube for multiple components



# technical specifications

#### Work area

| X-axis                |            | mm | 3.000 / 5.000 |
|-----------------------|------------|----|---------------|
| Y-axis                |            | mm | 800           |
| Z-axis                |            | mm | 500           |
| Tilting range B-axis  | continuous | 0  | +/- 15        |
| Rotating range A-axis | continuous | 0  | +/- 360       |

#### Main spindle

| Power          | (S6-25%)  | kW                | 100    |
|----------------|-----------|-------------------|--------|
|                | (S1-100%) | kW                | 75     |
| Spindle speed  |           | min <sup>-1</sup> | 25.000 |
| Spindle torque |           | Nm                | 90     |

#### **Tool storage**

| lool taper             | - | HSK63A   |
|------------------------|---|----------|
| Number of tool pockets | # | 57 / 157 |
| Tool change time       | S | 5        |

#### Axis drive- and feed system


Rapid / Feed rate X-, Y-, Z-axis mm/min 60.000

#### Various and optional


- 5-axis machining
- 100 kW, 25.000 min<sup>-1</sup> motor spindle
- Unique B-axis design
- Large working envelope
- Large variation in clamping possibilities
- High dynamics

- Linear scales for all axis
- Radio wave measuring probe
- Tool storage with 57 / 157 pockets
- Full enclosure guarding
- Fume extraction system
- SIEMENS 840D-sl CNC-control
- Remote access

#### Spindle 100 kW



#### Views







#### Sizes

Length (A): X-axis + 4.000 mm Width (B): 4.700 mm Height (C): 3.800 mm

#### Industries











# your partner in productivity

UNISIGN is an engineering company producing innovative and proven machine tool technology for customers in all market segments.

Through years of experience, UNISIGN has evolved into an international operating company with an impressive installed base. The basis of our success is the clear company philosophy to design all the machines in such a way that they can be tailor-made to create the ideal machine for our customers. The large number of machine tools supplied by UNISIGN reflects our strength and versatility.



Industrieterrein 36 (nr. 930) P.O. Box 7047, NL-5980 AA Panningen The Netherlands

Tel.: +31 (0)77 307 37 77 Fax: +31 (0)77 307 54 36 sales@unisign.com

